Instruction of Upgrading the Q5s System Firmware

Note: Do not upgrade the Q5s using the Q5 firmware!

A. Before Upgrade

- 1. Ensure that you have installed the USB DAC driver(>>how to install)
- 2. Download the system firmware upgrade tool

Download the system upgrade firmware file

B. Upgrade the Q5s system firmware

- 1. Double click to run the system upgrade tool "FiiODfu.exe"
- 2. Power on the Q5s, switch to USB DAC mode. Hold the "Next track" button and

connect the Q5's USB port to the computer via USB.

(a.If the upgrade tool menu displays a "v0.04" (see below image), it means the Q5s is connected successfully in upgrade mode.

b. The Q5s is an upgrade model, so it is normal that the product name shows Q5 still.)

FiiO Firmware Upgrade		×
Device Manufacturer: Product: VID/PID: Serial number: Current Firmware: Firmware	FIIO FiiO Q5 0x2972/0x0031 v0.04	Browse
Upgrade		
Device opened.		
		-
		Start
Exit		h.

3. Click "Browse" to select and open the firmware file, like picture 1

USB Audio Device Firmware	Upgrade					
Device						
Manufacturer:	FIIO					
Product:	FIIO Q5	v0031				
Serial number:	0,2572/0	X0001				
Current Firmware:	v0.04					
Firmware						
E:\FiiOAMP\Q5S\Software\q5s	_dfu_013.bin			Browse		
Upgrade	📔 Open					×
Device opened. Ready for firmware update.	Look in:) Software		- G 🕫 🛤		
	Ca	Name	*	Date modif	ied	Туре
	2	鷆 BT		2019-6-291	0:04	File fold
	Recent Items	🍌 q5s_002		2019-4-1 17	1:25	File fold
		鷆 q5s_003		2019-4-3 17	1:26	File fold
		🍌 q5s_004		2019-4-9 19):16	File fold
	Desktop	鷆 q5s_005		2019-4-11 9):26	File fold
	A	🍌 q5s_006		2019-4-161	6:48	File fold
		鷆 q5s_007		2019-4-191	4:48	File fold
	My Documents	鷆 q5s_008		2019-4-23 1	8:12	File fold
Evit		🍌 q5s_010		2019-6-24 1	8:47	File fold
		📔 q5s_dfu_007	.bin	2019-4-18 1	5:33	BIN File
	Computer	📔 q5s_dfu_009).bin	2019-4-25 1	5:55	BIN File
		🖹 q5s_dfu_010).bin	2019-5-161	5:24	BIN File
	B	📔 q5s_dfu_013	3.bin	2019-7-1 17	7:32	BIN File
	WPS网盘	•	III			,
		File name:	q5s_dfu_013.bin	-		Open
		Files of type:	Firmware image (*.bin)			Cancel

Picture 1

4. Click "Start" to start the upgrade, like picture 2

USB Audio Device Firmwar	e Upgrade	X
Device		
Manufacturer:	FIIO	
Product:	FiiO Q5	
VID/PID:	0x2972/0x0031	
Serial number:		
Current Firmware:	v0.04	
Firmware		
E:\FiiOAMP\Q5S\Software\q5	s_dfu_013.bin	Browse
Upgrade		
Ready for firmware update.		
Exit		

Picture 2

5. If the progress bar will not reach 100% even after one minute, click "Exit" to

stop the upgrade (Like picture 3) and then repeat the steps 1-4.

Device			
Manufacturer:	FIIO		
Product:	FiiO Q5		
VID/PID: Serial number:	0x2972/0x0031		
Current Firmware	e: v0.04		
Firmware			
E: \FiiOAMP \Q5S	\$\Software\q5s_dfu_013.bin	Browse	
Jpgrade	USB Audio Device Firmware Upgrade	×	
Device opened Ready for firm Entering upgra Upgrading firm 0 of 147456 by	The firmware upgrade is currently running. The device could be damaged if you abort now. Do you really want to abort?		*
	Yes No		
			_
		Start	

Picture 3

 If the progress bar reaches 100% with "Firmware upgrade finished successfully" displayed, it means the firmware was burnt into the Q5s, like picture 4

Deview		
Device Manufacturer: Product:	FIIO FiiO O5	
VID/PID:	0x2972/0x0031	
Current Firmware:	v0.04	
Firmware		
E: \FiiOAMP \Q5S \Software \	g5s_dfu_013.bin	Browse
Upgrade		
Ready for firmware update Entering upgrade mode Upgrading firmware	e. ransferred.	
Starting firmware		
14/456 bytes to Starting firmware	successfully.	
14/456 bytes to Starting firmware Firmware upgrade finished	successfully.	

Picture 4

7. Disconnect the Q5s from the computer, then reconnect it (the same USB port). After that the Q5s will automatically install the firmware and the red indicator (the one in front of the 'coax' mark) will light up. Please do NOT operate the device at this time and wait patiently for the red indicator to light off –meaning the installation is completed. Then you can see the firmware version is changed in the upgrade tool menu, and the Q5 is ready for use. You could reconnect the Q5s for checking the current firmware version,like picture5:

evice		
lanufacturer:	GuangZhou FiiO Electronics Co.,Ltd	
roduct:	FiiO Q5	
ID/PID:	0x2972/0x0031	
erial number: Current Firmware:	v0.13	
irmware		
E:\FiiOAMP\Q5S\Software\q5s dfu 013	.bin	Browse
pgrade		
Ready for firmware update. Entering upgrade mode Upgrading firmware 147456 of 147456 bytes transferred. Starting firmware		
Firmware upgrade finished successfully.		
		Start

Picture 5